

Inspection Report Form

Page 1 of 1



City of Albuquerque Environmental Health Dept.
Consumer Health Protection Division
One Civic Plaza - Room 3023
Albuquerque, NM 87102
PH: (505)768-2600 - Fax: (505)768-2698

PERMIT SOUTH VALLEY PREP
RESULT IN COMPLIANCE
ACTION APPROVED

Date 04/30/2024
Time In 1:00 pm
Time Out 1:45 pm

Facility SOUTH VALLEY PREP	Address 2551 KARSTEN CT SE	City/State ALBUQUERQUE, NM	Zip Code 87102	Telephone 5052225642
Permit # PT0154125	Permit Expiration Date 09/30/2024	Purpose of Inspection VERY HIGH RISK	Facility ID FA0127119	Activity No. DA1R1TXOR

PHYSICAL FACILITIES

57 Were any violations found?
☒ IN ☐ OUT 0
 9-6-1-1

Comments:

No violations found during time of inspection.

RESULTS IN COMPLIANCE

Item/Location	Result	Item/Location	Result	Item/Location	Result
QUAT SANITIZER/BUCKET	300 F	QUAT SANITIZER/THREE COMPARTMENT SINK	300 F	HOT HOLDING UNIT/DINING ROOM	147 F
WALK IN REFRIGERATOR/KITCHEN	39 F	CHICKEN NUGGETS/HOT HOLDING	140 F		

Overall Inspection Comments:
ROUTINE FOOD INSPECTION

SCORE: 214

OBSERVED KITCHEN EQUIPMENT USED FOR COOKING CLASS AND AFTER SCHOOL PROGRAM STORED, INSIDE KITCHEN THAT DID HAVE VIOLATIONS SUCH AS NOTIFICATIONS OF LABELING INSIDE WALK IN REFRIGERATOR PRINTED PAPER ON STORAGE SHELVING. INSTRUCTED PIC MUST BE NON ABSORBENT SMOOTH AND EASILY CLEANABLE. ALSO, UTENSILS STORED IN CONTAINERS WITH FOOD DEBRIS BUILD UP. MISCELLANEOUS ITEMS SUCH AS SLICER AND LARGE STANDING MIXER WITH DEBRIS BUILD UP. FACILITY DOES NOT PREPARE FOOD. RECEIVED FROM A PERMITTED COUNTY FACILITY. INSTRUCTED PIC TO SEPARATE KITCHEN EQUIPMENT THAT IS NOT USED BY THE PERMITTED CITY FACILITY FROM OTHER PROGRAMS OPERATING OUT OF KITCHEN TO PREVENT VIOLATIONS. ALSO ADVISED PIC TO REMOVE KITCHEN EQUIPMENT THAT IS NO LONGER USED BY FACILITY TO PREVENT VIOLATIONS FROM THAT KITCHEN EQUIPMENT.

Person In Charge (Signature)

[Signature]

Date: 04/30/2024

Inspector: Silva, Richard

Follow-up: Yes No (Circle one) Follow-up Date: